

# SEQUENCE LISTING

<110> MOTOYAMA, Yasuo  
OGATA, Tomoo  
SAKAI, Kazuhisa

<120> GENES FOR DETECTING BACTERIA AND A METHOD FOR DETECTING BACTERIA BY  
USING THE GENES

<130> MOTOYAMA=1

<140> 09/762,633

<141> 2001-02-12

<150> PCT/JP99/04341

<151> 1999-08-11

<150> JP 10/227177

<151> 1998-08-11

<160> 11

<170> PatentIn version 3.1

<210> 1

<211> 624

<212> DNA

<213> *Pectinatus frisingensis*

<400> 1

gaagtcgtaa caaggtagcc gtatcggaag gtgcggctgg atcacctcct ttctaaggat	60
taaaacaatc cgtcgagcac atccggaaca tgtattgttt ggttttgagg gtttctccct	120
caaaaaaata gatagaacta atggggggcgt agctcagctg ggagagcacc tgccttgcaa	180
gcaggggggtc aggagttcaa atctcctcgt ctccaccaga agagaaatgg gcctatagct	240
cagctggtta gagcgcacgc ctgataagcg tgaggtcagt agttcaagtc tacttaggcc	300
caccataatt gcacattgaa aactacacag aagaaaagca aagaacaatt aatcaccaat	360
gccaaacttg tgagaggaga ttttcaagag gatggcgggg aatagttgga ccaagcacia	420
ttaggaaact aaaaacaagc taagacaaaa catataaact taagctaaag gtgatattct	480
ggaggagact cgagaatata ataaacttac cagaagcggt cagatgcaag gaagcatgaa	540
agcgaatgaa gaaggcgtat tagtatacgc cgatgagtga gctgaaatga tgacgaagca	600
gatgagcggg tatggaaagt ttaa	624

<210> 2

<211> 442

<212> DNA

<213> *Pectinatus frisingensis*

<400> 2  
gaagtcgtaa caaggtagcc gtatcggaag gtgcggctgg atcacctcct ttctaaggat 60  
taaaacaatc cgtcgagcac atccggaaca tgtattgttt ggttttgagg gtttctccct 120  
caaattattgc acattgaaaa ctacacagaa gaaaagcaaa gaacaattaa tcaccaatgc 180  
caaacttgtg agaagagatt ttcaagagga tggcggggaa tagttggacc aagcacaatt 240  
aggaaaactaa aaacaagcta agacaaaaca tataaactta agctaaagggt gatattcttg 300  
aggagactcg agaataataat aaacttacca gaagcgttca gatgcaagga agcatgaaag 360  
cgaatgaaga aggcgtatta gtatacgccg atgagtgagc tgaaatgatg acgaagcaga 420  
tgagcgggta tggaaagttt aa 442

<210> 3  
<211> 724  
<212> DNA  
<213> *Pectinatus cerevisiiphilus*

<400> 3  
gaagtcgtaa caaggtagcc gtatcggaag gtgcggctgg atcacctcct ttctaaggat 60  
ttgacaaaaa tctgtcgagt acatccggaa tatgtattgt ttggttttga gggtttctcc 120  
ctcataaata tatagtagat acttgtaaga gtgtttatgg tatgtttaaa agctggtcgg 180  
aaatattgtg gtgcaaaaaa atgcatggca gtagagaaga ctggtaaaaa aagaatgaac 240  
taatgggggc gtagctcaga tgggagagca cctgccttgc aagcaggggg tcaggagtgc 300  
aactctctc gtctccacca gaagagaaag ggcctatagc tcagctgggt agagcgcacg 360  
cctgataagc gtgaggtcag tagttcaagt ctacttaggc ccaccaatat tgcacattga 420  
aaactacaca gaagaaagca aagaacaatt atcaccaatg ccaaacttgt aagagaaatc 480  
gaggagagaa tggcggggaa tagttggacc aagcacaat taggaaaaga aacaaacgct 540  
aagaaacaaa catataaact taagcgaaaa ggtgatattc tggaggaaac ttcagagtat 600  
ataaacttac cagaagcgtt cagatgagag gaagggcaaa gctgagagaa gaaagcgtat 660  
taatatacgc tgatgaacga agcaaagcac tgacaaagca gatggatggt tatgggaagt 720  
taca 724

<210> 4  
<211> 399  
<212> DNA  
<213> *Pectinatus cerevisiiphilus*

<400> 4  
gaagtcgtaa caaggtagcc gtatcggaag gtgcggctgg atcacctcct ttctaaggat 60

ttgacaaaaa tctgtcgagt acatccggaa tatgtattgt ttggttttga gggtttctcc	120
ctcataaata ttgcacattg aaaactacac agaagaaagc aaagaacaat tatcaccaat	180
gccaaacttg taagagaaat cgagaagaga atggcgggga atagttggac caagcacaaa	240
ttaggaaaag aaacaaacgc taagaaacaa acatataaac ttaagcgaaa aggtgatatt	300
ctggaggaaa cttcagagta tataaactta ccagaagcgt tcagatgcga ggaagggcaa	360
agcactgaca aagtagatgg atggttatgg gaagttaca	399

<210> 5  
 <211> 19  
 <212> DNA  
 <213> *Pectinatus frisingensis*

<400> 5	
ccatcctctt gaaaatctc	19

<210> 6  
 <211> 20  
 <212> DNA  
 <213> *Pectinatus frisingensis*

<400> 6	
tctcrtctca caagtttggc	20

<210> 7  
 <211> 19  
 <212> DNA  
 <213> *Pectinatus cerevisiiphilus*

<400> 7	
cactcttaca agtatctac	19

<210> 8  
 <211> 20  
 <212> DNA  
 <213> *Pectinatus cerevisiiphilus*

<400> 8	
ccacaatatt tccgaccagc	20

<210> 9  
 <211> 20  
 <212> DNA  
 <213> *Pectinatus cerevisiiphilus*

<400> 9	
agtcttctct actgccatgc	20

<210> 10  
<211> 20  
<212> DNA  
<213> *Pectinatus frisingensis*

<400> 10  
cgatatccaga gatggatatt 20

<210> 11  
<211> 20  
<212> DNA  
<213> *Pectinatus cerevisiiphilus*

<400> 11  
cgatatgcaga gatgcatatt 20